

Wrekin Water Softeners Stainless Steel UV with (i) Controller range



Model	SSi15	SSi30	SS-55	SSi75	SSi1475	SSi1575
Lamp Power (Watts)	15	30	55	75	75	75
Flow Rate (Litres/Min)	9.5	23	37	60	117	152
Lamp Life (Days)	365	365	365	365	365	365
Control Panel	Type i	Type i	Type i	Type i	Type i	Type i
Standard Connection (MBSP)	3/4"	3/4"	3/4"	1"	1.5" Same Side	1.5" Same Side
Overall Length	455	915	915	1220	1220	1220
Max Pressure (Bar)	10	10	10	10	10	10
Recommended Housing	SLH10/VIH10	SLH10/VIH10	HF10BB	HF10BB	HF20BB	HF20BB

Control Panels

Example of Controller for all models (55w system is shown here)




WREKIN

WREKINWATERSOFTENERS

On-line store at
www.wrekinwatersofteners.co.uk
 Tel 0844 3571418 (Local Call)

The Internet Company with a personal touch

UV chamber SS1475
 same side nipples incl gland nuts



	<p>SLH10 10in Housing with Bracket spanner and 2 x 3/4in Nipples. 3/4in BSP in/out Ports</p> <p>Suitable for Systems up to 23 Lpm</p> <p>Height = 330mm Depth/Diameter = 130mm Filter size 2.5in Diameter x 10in Nominal Accepts PS5 Sediment Filter</p>
	<p>VIH10-BL 10in Housing with Bracket spanner and 2 x 3/4in Nipples. 3/4in BSP in/out Ports</p> <p>3 Position Valve in Head for easy Filter Change</p> <ul style="list-style-type: none"> • Filter (In service) • Off (Total Flow Stopped) • Bypass (Flow bypassing Filter) <p>Suitable for Systems up to 23 Lpm</p> <p>Height = 330mm Depth/Diameter = 130mm Filter size 2.5in Diameter x 10in Nominal Accepts PS5 Sediment Filter</p>

WREKIN

WREKINWATERSOFTENERS

On-line store at
www.wrekinwatersofteners.co.uk
 Tel 0844 3571418 (Local Call)

The Internet Company with a personal touch




	<p>HD10 10in Heavy Duty Housing with Bracket and spanner and 2 x 3/4in nipples. 3/4in BSP in/out ports.</p> <p>Suitable for higher flows up to 40 lpm</p> <p>Available in Twin Housing with single bracket</p> <p>Height = 330mm Depth/Diameter = 135mm Filter size 2.5in Diameter x 10in Nominal Accepts PS5 Sediment Filter</p>
	<p>HF10BB 10in High Flow Housing with Bracket and spanner. 1in BSP in/out Ports</p> <p>Suitable for systems 40 Lpm – 76 lpm</p> <p>Height = 260mm Depth/Diameter = 190mm</p> <p>Filter Size 4.5in Diameter x 10in Nominal Accepts PS5-10BB Filter</p> <p>Available in Twin and Triple housings with single bracket</p>
	<p>HF20BB 20in High Flow Housing with Bracket and spanner. 1in BSP in/out Ports.</p> <p>Suitable for flows up to 97 Lpm</p> <p>Height = 610mm Depth/Diameter = 190mm</p> <p>Filter Size = 4.5in Diameter x 20in Nominal Accepts PS5-20BB Filter</p> <p>Available in Twin and Triple housings with single bracket</p>

WREKIN

WREKINWATERSOFTENERS

On-line store at
www.wrekinwatersofteners.co.uk
 Tel 0844 3571418 (Local Call)

The Internet Company with a personal touch

	<p>Standard Sediment Filter – 10in 2.5in Diameter x 10in Nominal Fits Standard 10in Housings</p> <ul style="list-style-type: none"> • SLH10 • VIH10 – Valve in head • HD10 – Heavy Duty Housing <p>5 Micron rating recommended for UV Order Code = PS5 Other Micron Sizes available</p>
	<p>High Flow Sediment Filter 4.5in Diameter x 10in Nominal Fits High Flow or Big Blue (BB) Housings</p> <ul style="list-style-type: none"> • HF10BB • Any BB 10in Housing <p>5 Micron rating recommended for UV Order Code = PS5-10BB Other Micron Sizes available</p>
	<p>High Flow Sediment Filter 4.5in Diameter x 20in Nominal Fits High Flow or Big Blue (BB) Housings</p> <ul style="list-style-type: none"> • HF20BB • Any BB 20in Housing <p>5 Micron rating recommended for UV Order Code = PS5-20BB Other Micron Sizes available</p>